


PHARMACOPÆIA  
OF  
ST. BARTHOLOMEW'S  
HOSPITAL.


---

1888.

85 0/5.11 (42)

12







*Normand Moore*

# PHARMACOPŒIA

OF

St. Bartholomew's Hospital.




LONDON:

PRINTED BY ADLARD AND SON,

BARTHOLOMEW CLOSE.

—  
1887.

ROYAL COLLEGE OF PHYSICIANS	
LIBRARY	
CLASS	615.11 (42)
ACON.	3750
SOURCE	
DATE	





# Medical Officers of the Hospital.

---

## *Consulting Physician.*

DR. MARTIN.

## *Consulting Surgeons.*

SIR JAMES PAGET, BART. MR. HOLDEN.

### *Physicians.*

DR. ANDREW.  
DR. CHURCH.  
DR. GEE.  
SIR DYCE DUCK-  
WORTH, M.D.

### *Assistant Physicians.*

DR. HENSLEY.  
DR. BRUNTON.  
DR. SAMUEL WEST.  
DR. NORMAN MOORE.

### *Physician-Accoucheur.*

DR. M. DUNCAN.

### *Asst. Phys.-Accoucheur.*

DR. GODSON.

### *Ophthalmic Surgeons.*

MR. POWER.  
MR. VERNON.

### *Dental Surgeons.*

MR. EWBANK.  
MR. PATERSON.

### *Surgeons.*

MR. SAVORY.  
MR. SMITH.  
MR. WILLETT.  
MR. LANGTON.  
MR. BAKER.

### *Assistant Surgeons.*

MR. MARSH.  
MR. BUTLIN.  
MR. WALSHAM.  
MR. CRIPPS.  
MR. BRUCE CLARKE.

### *Aural Surgeon.*


MR. CUMBERBATCH.


*Med. Officer in Charge  
of Electrical Depart-  
ment.*


DR. STEAVENSON.

### *Asst. Dental Surgeons.*

MR. ACKERY.  
MR. MACKRELL.







# PHARMACOPŒIA.

---

## AQUA CARUI.

(Hosp. Pharm.)

Take of

Spirit of Caraway ... 2 fl. drachms.  
Distilled Water ... to 1 pint.

Mix.

## AQUA CARYOPHILLI.

Take of

Spirit of Cloves ... 2 fl. drachms.  
Distilled Water ... to 1 pint.

Mix.

## AQUA CASSIÆ LIGNEÆ.

Take of

Spirit of Cassia Lignea 2 fl. drachms.  
Distilled Water ... to 1 pint.

Mix.

## AQUA CHLOROFORMI.

Take of

Spirit of Chloroform... 10 minims,  
 Distilled Water ... 1 ounce.

Mix.

## AQUA MENTHÆ PIPERITÆ.

(Hosp. Pharm.)

Take of

Spirit of Peppermint... 2 fl. drachms,  
 Distilled Water ... to 1 pint.

Mix.

## AQUA MENTHÆ VIRIDIS.

(Hosp. Pharm.)

Take of

Spirit of Spearmint ... 2 fl. drachms,  
 Distilled Water ... to 1 pint.


Mix.


## BALNEUM ALKALINUM.

Take of

Carbonate of Sodium 8 ounces,  
 Water ... ... 30 gallons.

Dissolve.





## BALNEUM CALIDUM

Take of

Water at 96°... ... 30 gallons.

## BALNEUM GLUTINIS.

Take of

Bran ... ... 5 pounds,

Boiling Water ... 2 gallons.

Mix and add

Water ... to 30 gallons.

## BALNEUM SULPHUREUM.

Take of

Sulphurated Potash ... 8 ounces,

Water ... 30 gallons.

Dissolve.

## BALNEUM TEPIDUM.

Take of

Water at 90°... ... 30 gallons.

## CONFECTIO FERRI TARTARATI.

Take of

Tartarated Iron	...	30 grains,
Acid Tartrate of Potas-		
sium	...	180 grains,
Ginger, in powder	...	5 grains,
Treacle by weight	...	to 1 ounce.

Mix.

*Dose.*—2 teaspoonfuls.

## CONFECTIO JALAPÆ.

Take of

Compound Powder of		
Jalap	...	120 grains,
Treacle by weight	...	to 1 ounce.

Mix.


*Dose.*—2 to 4 teaspoonfuls.CONFECTIO POTASSII TARTRATIS  
ACIDÆ.


Take of

Acid Tartrate of Potas-		
sium	...	240 grains
Ginger, in powder	...	5 grains,
Treacle by weight	...	to 1 ounce.

Mix.

*Dose.*—1 to 2 teaspoonfuls.





## CONFECTION OF SULPHURIS.

(Hosp. Pharm.)

Take of

Sublimed Sulphur ... 200 grains,  
 Acid Tartrate of Potassium ... 50 grains,  
 Treacle by weight ... to 1 ounce.

Mix.

*Dose.*—1 to 2 teaspoonfuls.

## CONFECTION OF SULPHURIS COMPOSITA.

Take of

Confection of Sulphur  $\frac{1}{2}$  ounce,  
 Guaiacum Resin, in  
     powder ... ... 80 grains,  
 Rhubarb Root, in }  
     powder ... } of each  
     Nutmeg, in powder } 40 grains.  
 Treacle by weight ... to 1 ounce.

Mix.

*Dose.*—2 to 4 teaspoonfuls.

## DECOCTUM HEMIDESMI COMPOSITUM.

Take of

Hemidesmus Root	...	2½	ounces,
Sassafras Root, in chips			
Guaiacum Wood turn- ings	...	...	each $\frac{1}{4}$ ounce
Commercial Extract of Liquorice	...		
Mezereon Bark	...	$\frac{1}{8}$	ounce.
Boiling Distilled Water	1½	pints.	

Digest for one hour, boil for ten minutes,  
cool, strain, and make up to a pint.

*Dose.*—1 fluid ounce.

## ENEMA OLEI RICINI.

Take of

Castor Oil	...	...	2 fl. ounces,
Mucilage of Starch	...	to 1	pint.


Mix.

## ENEMA SAPONIS.

Take of

Soft Soap	...	...	$\frac{3}{4}$ ounce,
Warm Water	...	to 1	pint.

Mix.



U

**FOTUS BELLADONNÆ.****Take of**

Extract of Belladonna 3 grains,  
 Boiling Distilled Water to 1 fl. ounce.

**Mix and filter.****GARGARISMA ACETICUM.****Take of**

Acetic Acid ... ... 15 minims,  
 Oxymel ... ... 30 minims,  
 Distilled Water ... to 1 fl. ounce.

**Mix.****GARGARISMA ALUMINIS.****Take of**

Alum, in powder ... 16 grains,  
 Distilled Water ... to 1 fl. ounce.

**Dissolve.****GARGARISMA ALUMINIS COMPOSITUM.****Take of**

Alum, in powder ... 16 grains,  
 Tincture of Myrrh ... 15 minims,  
 Distilled Water ... to 1 fl. ounce.

**Dissolve and mix.**

## GARGARISMA BORACIS.

*Vide* Lotio, p. 46.

## GARGARISMA CAPSICI.

Take of

Tincture of Capsicum 10 minims,  
 Diluted Sulphuric Acid 6 minims,  
 Decoction of Pale Cin-  
 chona        ...        ... to 1 fl. ounce.

Mix.

## GARGARISMA HYDROCHLORICUM.

Take of

Diluted Hydrochloric  
 Acid        ...        ... 10 minims,  
 Decoction of Pale Cin-  
 chona        ...        ... to 1 fl. ounce.

Mix.

## GARGARISMA POT. CHLOR.


*Vide* Haust. Pot. Chlor., p. 28.


## GARGARISMA SODÆ CHLORATÆ.

Take of

Solution of Chlorinated  
 Soda        ...        ...  $\frac{1}{2}$  fl. drachm,  
 Distilled Water        ... to 1 fl. ounce.

Mix.





## GLYCERINUM FERRI DIALYSATI.

Take of

## Solution of Dialised

Iron ... 20 minims,

Glycerine ... 40 minims.

Mix.

## GLYCERINUM IODOFORMI.

Take of

## Iodoform, in very fine

powder ...  $\frac{1}{4}$  ounce,

Glycerine ... to 1 fl. ounce.

Mix.

## GUTTÆ ATROPINÆ SULPHATIS.

Take of

Sulphate of Atropine 1 grain,

Distilled Water ... 1 fl. ounce.

Dissolve.

## GUTTÆ PHYSOSTIGMINÆ.

Take of

## Sulphate of Physostig-

mine ... 2 grains,

Distilled Water ... 1 fl. ounce,

Dissolve.

## HAUSTUS ACIDI GALLICI.

Take of

Glycerine of Gallic

Acid      ...      ... 25 minims,

Distilled Water      ... to 1 fl. ounce.

Mix. Contains 5 grains of acid.

## HAUSTUS ACIDI HYDROCYANICI.

Take of

Diluted Hydrocyanic

Acid      ...      ... 4 minims,

Bicarbonate of Sodium 5 grains,

Distilled Water      ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS ACIDI NITRO-HYDROCHLORICI  
DILUTI.

Take of

Diluted Nitro-hydro-

chloric Acid      ... 10 minims,


Tincture of Orange


Peel      ...      ... 20 minims,

Spirit of Chloroform ... 10 minims,

Distilled Water      ... to 1 fl. ounce.

Mix.





**HAUSTUS ACONITI CUM COLCHICO.**  
ake of

Tincture of Aconite... 3 minims,  
 Tincture of Colchicum  
 Seeds ... ... 10 minims,  
 Sulphate of Quinine... 1 grain,  
 Diluted Sulphuric  
 Acid ... ...  $1\frac{1}{2}$  minims,  
 Spirit of Chloroform... 10 minims,  
 Distilled Water ... to 1 fl. ounce.

issolve and Mix.

**HAUSTUS ÆTHERIS AMMONIATUS.**  
ake of

Spirit of Ether ... } of each  
 Aromatic Spirit of }  $\frac{1}{2}$  fl. drachm,  
 Ammonia ... ... }  
 Distilled Water ... to 1 fl. ounce.

ix.

**HAUSTUS AMMONIACI FŒTIDUS.**  
ake of

Fetid Spirit of Am-  
 monia (Hosp. Phar.) 15 minims,  
 Ammoniacum Mixture to 1 fl. ounce.

ix.

## HAUSTUS AMMONII ACETATIS.

Take of

Solution of Acetate		of each
of Ammonium	...	
Distilled Water	...	

$\frac{1}{2}$  fl. ounce.

Mix.

HAUSTUS AMMONII ACETATIS CUM  
CAMPHORA.

Take of

Solution of Acetate of		2 fl. drachms.
Ammonium	...	
Camphor Water	...	to 1 fl. ounce.


Mix.


HAUSTUS AMMONII ACETATIS CUM  
MAGNESII SULPHATE.

Take of

Sulphate of Magnes-		60 grains,
sium	...	
Draught of Acetate of		to 1 fl. ounce.
Ammonium	...	

Dissolve.





**HAUSTUS AMMONII ACETATIS CUM  
SCILLA.**

Take of

Vinegar of Squill ... 20 minims,  
Draught of acetate of  
Ammonium ... to 1 fl. ounce.

Mix.

**HAUSTUS AMYGDALÆ.**

Take of

Almond Oil ... ... } of each  
Mucilage of Gum } 2 fl. drachms.  
Acacia ... ... }  
Distilled Water ... to 1 fl. ounce.


Mix.

**HAUSTUS ANTIMONII CUM MAGNESII  
SULPHATE.**

Take of

Antimonial Wine ... 30 minims,  
Sulphate of Magne-  
sium ... ... 60 grains,  
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.



## HAUSTUS CINCHONÆ ACIDUS.

Take of

Spirit of Chloroform...	} of each
Aromatic Sulphuric Acid ... ...	

10 minims,

Decoction of Pale Cinchona ... ... to 1 fl. ounce.

Mix.

## HAUSTUS CINCHONINÆ HYDRO-CHLORATIS.

Take of

Hydrochlorate of Cinchonine ... ...	1 grain,
Diluted Hydrochloric Acid ... ...	1½ minims,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

## HAUSTUS COLCHICI.

Take of

Tincture of Colchicum Seeds ... ...	20 minims,
Carbonate of Magnesium ... ...	10 grains,
Spearmint Water ...	to 1 fl. ounce.

Mix.

**HAUSTUS COPAIBÆ COMPOSITUS.**

Take of

Copaiva	...	...	15 minims,
Mucilage	of	Gum	
Acacia	...	...	1 fl. drachm,
Cubebs, in powder	...	30 grains,	
Spirit of Nitrous Ether	15 minims,		
Camphor Water	...	to 1 fl. ounce.	

Mix.

**HAUSTUS CRETÆ AROMATICUS.**

Take of

Aromatic Powder of			
Chalk	...	...	30 grains,
Cassia Water		...	to 1 fl. ounce.


Mix.


**HAUSTUS CRETÆ AROMATICUS CUM  
OPIO.**

Take of

Aromatic Powder of			
Chalk and Opium	...	20 grains,	
Cassia Water		...	to 1 fl. ounce.

Mix.





## HAUSTUS FERRI CUM NUCE VOMICA.

Take of

## Solution of Perchloride

of Iron ... ... 10 minims,

Tincture of Nux Vomica 6 minims,

Diluted Phosphoric Acid } of each

Spirit of Chloroform } 5 minims,

Distilled Water ... to 1 fl. ounce.

Mix.

## HAUSTUS FERRI CUM QUASSIA

Take of

## Solution of Perchloride

of Iron ... ... 15 minims,

Infusion of Quassia ... to 1 fl. ounce.

Mix,

**HAUSTUS FERRI ET AMMONII CITRATIS.**

Take of

Citrate of Iron and		
Ammonium	...	8 grains,
Carbonate of Ammonium	...	2 grains,
Spirit of Chloroform	10	minims,
Distilled Water	...	to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS FLAVUS.**

Take of

Caramel	...	...	a sufficiency,
Water	...	...	to 1 fl. ounce.

Mix.


**HAUSTUS GENTIANÆ CUM RHEO.**

Take of

Infusion of Rhubarb	.	$\frac{1}{2}$	fl. ounce,
Compound Tincture of			
Gentian	...	...	30 minims,
Bicarbonate of sodium	10	grains,	
Spirit of Chloroform	.	10	minims,
Peppermint Water	...	to 1	fl. ounce.

Dissolve and mix.





HAUSTUS HEMIDESMI CUM POTASSII  
IODIDO.

Take of

Iodide of Potassium... 5 grains,  
Compound Decoction  
of Hemidesmus ... to 1 fl. ounce.

Dissolve.

HAUSTUS HYDRARGYRI PERCHLORIDI.

Take of

Solution of Perchloride  
of Mercury ... 1 fl. drachm,  
Compound Tincture of  
Cardamoms ... 20 minims,  
Distilled Water ... to 1 fl. ounce.

Mix.

HAUSTUS HYDRARGYRI PERCHLORIDI  
CUM POTASSII IODIDO.

Take of

Solution of Perchloride  
of Mercury ... 1 fl. drachm,  
Iodide of Potassium... 5 grains,  
Compound Tincture of  
Cardamoins ... 20 minims,  
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

## HAUSTUS IPECACUANHÆ EMETICUS.

Take of

Wine of Ipecacuanha	of each
Oxymel of Squill	... } $\frac{1}{2}$ fl. ounce.

Mix.

## HAUSTUS ALBUS.

Take of

Carbonate of Magnesium	of each
...	... } 8 grains,
Bicarbonate of Sodium	
Peppermint Water	... to 1 fl. ounce.

Dissolve and mix.


## HAUSTUS MENTHÆ SULPHURICUS.

Take of

Diluted Sulphuric Acid	10 minims,
Syrup of Red Poppy	. 30 minims,
Spearmint Water	... to 1 fl. ounce.

Mix,





HAUSTUS MENTHÆ SULPHURICUS  
CUM FERRI SULPHATE.

Take of

Sulphate of Iron ... 1 grain,  
Spirit of Chloroform... 10 minims,  
Sulphuric Mint Draught to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS  
CUM MAGNESII SULPHATE.

Take of

Sulphate of Magnes-  
sium ... ... 60 grains,  
Sulphuric Mint Draught to 1 fl. ounce.

Dissolve.

HAUSTUS MENTHÆ SULPHURICUS  
CUM PAPAVERE ET SCILLA.

*Syn. Haustus pro Tussi.*

Take of

Syrup of Poppies ...  $\frac{1}{2}$  fl. drachm.  
Tincture of Squill ... 15 minims,  
Sulphuric Mint Draught to 1 fl. ounce.

Mix,

## HAUSTUS MORPHINÆ CUM FERRO.

Take of

Solution of Hydrochlo-  
rate of Morphine ... 10 minims,  
Solution of Perchlo-  
ride of Iron ... 15 minims,  
Diluted Hydrochloric  
Acid ... 3 minims,  
Spirit of Chloroform . 10 minims,  
Distilled Water ... to 1 fl. ounce.


Dissolve and mix.


HAUSTUS MORPHINÆ HYDRO-  
CHLORATIS.

Take of

Solution of Hydrochlo-  
rate of Morphine ... 20 minims,  
Distilled Water ... to 1 fl. ounce.

Mix.





## HAUSTUS OLEI MORRHUÆ.

Take of

Cod-Liver Oil	...	} of each
Mucilage of Gum Aca- cia ...	...	

Refined Sugar, in pow-

der ...	...	...	30 grains,
---------	-----	-----	------------

Caraway Water	...	to 1 fl. ounce.
---------------	-----	-----------------

Rub together.

## HAUSTUS OPIATUS.

Take of

Tincture of Opium	...	} of each
Spirit of Chloroform	...	

Peppermint Water	...	10 minims,
------------------	-----	------------

Peppermint Water	...	to 1 fl. ounce.
------------------	-----	-----------------

Mix.

## HAUSTUS PLUMBI ACETATIS.

Take of

Acetate of Lead	...	5 grains,
-----------------	-----	-----------

Oxymel	...	1 fl. drachm.
--------	-----	---------------

Distilled Water	...	to 1 fl. ounce.
-----------------	-----	-----------------

Dissolve and mix.

**HAUSTUS POTASSII BROMIDI  
COMPOSITUS.**

Take of

Infusion of Rhubarb...  $\frac{1}{2}$  fl. ounce,  
Compound Tincture of  
Gentian ... ... 30 minims,  
Bromide of Potassium 10 grains,  
Spirit of Chloroform . 10 minims,  
Peppermint Water . to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS POTASSII CHLORATIS.**

Take of

Chlorate of Potassium 10 grains,  
Boiling Distilled Water to 1 fl. ounce.


Dissolve.


**HAUSTUS POTASSII CITRATIS.**

Take of

Bicarbonate of Potas-  
sium ... ... 20 grains,  
Citric Acid ... ... 14 grains,  
Distilled Water ... to 1 fl. ounce.

Dissolve and mix. To be taken after  
effervescence has ceased,





**HAUSTUS POTASSII CITRATIS  
EFFERVESCENTS.**

Take of

Bicarbonate of Potas-

sium        ...        ... 20 grains,

Distilled Water        ... 1 fl. ounce,

Dissolve, and add of

Citric Acid, in fine

powder        ...        ... 14 grains,

Distilled Water        ... 1 fl. ounce,

To be taken during effervescence.

**HAUSTUS POTASSII CUM HYOSCYAMO.**

Take of

Nitrate of Potassium 10 grains,

Bicarbonate of Potas-

sium        ...        ... 20 grains,

Tincture of Hyoscyam-

mus...        ...        ... 20 minims,

Distilled Water        ... to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS POTASSII IODIDI  
AMMONIATUS.**

Take of

Iodide of Potassium... 3 grains,  
 Carbonate of Ammonium ... ... 2 grains,  
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS POTASSII CUM SODA  
TARTARATA.**

Take of

Nitrate of Potassium . 10 grains,  
 Bicarbonate of Potassium ... ... 20 grains,  
 Tartarated Soda ... 60 grains,  
 Peppermint Water ... to 1 fl. ounce.

Dissolve and mix.


**HAUSTUS QUININÆ SULPHATIS CUM  
FERRO.**

Take of

Sulphate of Quinine... 1 grain,  
 Sulphate of Iron ...  $\frac{1}{2}$  grain,  
 Spirit of Chloroform . 10 minims,  
 Sulphuric Mint Draught to 1 fl. ounce.

Dissolve and mix.





## HAUSTUS QUININÆ SULPHATIS.

Take of

Sulphate of Quinine... 1 grain,  
 Diluted Sulphuric Acid  $1\frac{1}{2}$  minims,  
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUININÆ SULPHATIS CUM  
POTASSII IODIDO.

Take of

Sulphate of Quinine... 1 grain,  
 Iodide of Potassium... 5 grains,  
 Diluted Sulphuric Acid  $1\frac{1}{2}$  minims,  
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

## HAUSTUS RHEI CUM MAGNESIA.

Take of

Compound Rhubarb  
 Powder ... ... 30 grains,  
 Caraway Water ... to 1 fl. ounce.

Mix.

## HAUSTUS SCOPARII COMPOSITUS.

Take of

Tartrate of Potassium 20 grains,  
 Spirit of Juniper ... 30 minims,  
 Decoction of Broom... to 1 fl. ounce.

Dissolve and mix.

## HAUSTUS SENEGÆ CUM AMMONIO.

Take of

Carbonate of Ammonium ... ... 5 grains,  
 Tincture of Squill ... } of each  
 Tincture of Senega ... } 40 minims.  
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

## HAUSTUS SENNÆ COMPOSITUS.


(Syn. *House Physic.*)

Take of

Sulphate of Magnesium ... ...  $\frac{1}{4}$  ounce,  
 Spirit of Peppermint... 10 minims,  
 Infusion of Senna ... to  $1\frac{1}{2}$  fl.ounces.

Dissolve and mix.





**HAUSTUS SERPENTARIÆ CUM AMMONIO.**

Take of

## Carbonate of Ammon-

nium ... 5 grains,  
 Spirit of Aniseed ... 10 minims,  
 Tincture of Serpentary 1 fl. drachm,  
 Spearmint Water ... to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS SODII CITRATIS.**

Take of

Bicarbonate of Sodium 20 grains,  
 Citric Acid ... 17 grains,  
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix. To be taken after effervescence has ceased.

**HAUSTUS SODII TARTRATIS.**

Take of

Bicarbonate of Sodium 20 grains,  
 Tartaric Acid ... 17 grains,  
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix. To be taken after effervescence has ceased.

HAUSTUS SODII TARTRATIS  
EFFERVESCENTS.

Take of

Bicarbonate of Sodium 20 grains,  
Distilled Water ... to 1 fl. ounce.

Dissolve, and add of

Tartaric Acid, in fine  
powder ... ... 17 grains,

Distilled Water ... to 1 fl. ounce.

To be taken during effervescence.

HAUSTUS TEREBINTHINÆ.

Take of

Oil of Turpentine ... 20 minims,


Mucilage of Gum

Acacia ... ... 2 fl. drachms,

Caraway Water ... to 1 fl. ounce.

Triturate the mucilage first with the oil, and then with the water added gradually.





**HAUSTUS VALERIANÆ CUM HYOSCYAMO.****Take of**

Ammoniated Tincture	... } of each
of Valerian	
Tincture of Hyoscy-	} $\frac{1}{2}$ fl. drachm.
amus	
Camphor Water	... to 1 fl. ounce.

**Mix.****HAUSTUS ZINCI EMETICUS.****Take of**

Sulphate of Zinc	... 20 grains,
Distilled Water	... to 1 fl. ounce.

**Dissolve.****INJECTIO MORPHINÆ HYPODERMICA.**

(B.P.)

One minim contains one tenth of a grain of the Acetate of Morphine.

## LINCTUS.

Take of

Confection of Hips ...	100 grains,
Tragacanth, in powder	6 grains,
Syrup of Poppies ...	of each
Vinegar of Squill ...	36 minims,
Acetic Acid ...	2 minims,
Cold Water ...	to 1 fl. ounce.

Mix.

*Dose.*—1 teaspoonful.


## LINCTUS ACIDI TANNO-GALLICI.

Take of

Tannic Acid ...	360 grains,
Gallic Acid ...	120 grains,
Distilled Water ...	1 fl. ounce.

Mix. A teaspoonful to be slowly sipped in case of bleeding.





**LINCTUS CAMPHORÆ COMPOSITUS.**

Take of

Compound Tincture of  
 Camphor ... ... } equal  
 Oxymel of Squill ... } parts.  
 Syrup of Tolu ...

Mix.

**LINCTUS CUM IPECACUANHA.**

Take of

Wine of Ipecacuanha 30 minims,  
 Linctus ... ... to 1 fl. ounce.

Mix.

*Dose.*—1 teaspoonful.

**LINCTUS MORPHINÆ CUM CHLOROFORMO.**

Take of

Solution of Hydrochlorate of Morphine ... 24 minims,  
 Chloroform ... ... 8 minims,  
 Rectified Spirit ... ... 72 minims,  
 Glycerine ... ... to 1 fl. ounce.

Mix.

*Dose.*—1 teaspoonful.

## LINIMENTUM CANTHARIDIS.

Take of

Vinegar of Cantharides	6 fl. drachms,
Glacial Acetic Acid	... 40 minims,
Glycerine	... 6 fl. drachms,
Spirit of Rosemary	... 20 minims,
Distilled Water	... to 4 fl.ounces.

Mix.


LINIMENTUM CANTHARIDIS CUM  
AMMONIA.

Take of

Almond Oil	... 6 fl. drachms,
Strong Solution of	} of each-
Ammonia	
Glycerine	... }
Tincture of Cantha-	
rides	... 80 minims,
Spirit of Rosemary	... 20 minims,
Distilled Water	... to 4 fl.ounces.

Mix.





**LINIMENTUM HYDRARGYRI OLEATIS**  
 (5 p.c.).

Take of

Yellow Oxide of Mer-  
 cury, freshly pre-  
 pared ... ... 24 grains,  
 Oleic Acid ... ... to 1 fl. ounce.

Dissolve with a gentle heat.

**LINIMENTUM HYDRARGYRI OLEATIS**  
 (10 p.c.).

Take of

Yellow Oxide of Mer-  
 cury, freshly pre-  
 pared ... ... 48 grains,  
 Oleic Acid ... ... to 1 fl. ounce.

Dissolve with a gentle heat.

**LINIMENTUM HYDRARGYRI OLEATIS**  
 (15 p.c.).

Take of

Yellow Oxide of Mer-  
 cury, freshly pre-  
 pared ... ... 72 grains,  
 Oleic Acid ... ... to 1 fl. ounce.

Dissolve with a gentle heat.

## LINIMENTUM OPII.

(Hosp. Pharm.)

Take of

Tincture of Opium ... 1 fl. ounce.

Ammoniated Liniment

of Soap ... ... to 4 fl.ounces.

Mix.

## LINIMENTUM PLUMBI CUM OLEO.

Take of

Solution of Subacetate

of Lead ... ...  $\frac{1}{2}$  fl. ounce,

Olive Oil ... ... to 4 fl.ounces.

Mix with agitation.

## LINIMENTUM SAPONIS CUM AMMONIA

Take of

Soft Soap ... ...  $\frac{1}{2}$  ounce,

Oil of Marjoram ... 6 minims,

Methylated Spirit ... 3 fl. drachms.


Oil of Turpentine ...  $1\frac{1}{2}$  fl. drachms.

Solution of Ammonia 1 fl. drachm,

Boiling Distilled Water to 4 fl.ounces.

Mix.





## LIQUOR FERRI ET AMMONII CITRATIS.

*Syn.—Vinum Ferri.*

(Hosp. Pharm.)

Take of

Citrate of Iron and  
 Ammonium ... 8 grains,  
 Cold Distilled Water to 1 fl. ounce.

Dissolve.

*Dose.—1 to 4 teaspoonfuls.*

## LIQUOR HYDRARGYRI CYANIDI.

Take of

Cyanide of Mercury... 15 grains,  
 Distilled Water ... to 1 fl. ounce.

Dissolve.

## LOTIO ACETI.

Take of

Vinegar ... ...  $\frac{1}{2}$  fl. drachm.  
 Distilled Water ... to 1 fl. ounce.

Mix.

## LOTIO ACIDI BORICI.

Take of

Boric Acid ... ... 10 grains,  
 Distilled Water ... to 1 fl. ounce.

Dissolve.

## LOTIO ACIDI BORACI CUM ÆTHERIS.

Take of

Boric Acid ...	... $\frac{1}{2}$ ounce,
Spirit of Ether ...	5 ounces,
Rectified Spirit ..	20 ounces.

Dissolve and mix.

## LOTIO ACIDI BORICI CUM ZINCO.

Take of

Boric Acid ...	... 3 grains,
Sulphate of Zinc ...	4 grains,
Tincture of Opium ...	5 minims,
Glycerine ...	1 fl. drachm,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.


## LOTIO ACIDI CARBOLICI.

Take of

Carbolic Acid, lique-	
fied ... ...	5 minims,
Distilled Water ...	to 1 fl. ounce.

Mix. Contains 1 per cent. of acid.





## LOTIO ACIDI CARBOLICI CUM BORACE.

Take of

Bicarbonate of Sodium	...	of each
Borax, in powder	...	20 grains.

Glycerine of Carbolic		
-----------------------	--	--

Acid	...	1 fl. drachm,
Distilled Water	...	to 1 fl. ounce.

Dissolve and mix.

LOTIO ACIDI CARBOLICI CUM BORACE  
FORTIOR.

Take of

Bicarbonate of Sodium	...	of each
Borax, in powder	...	120 grains,
Glycerine of Carbolic		

Acid	...	1 $\frac{1}{2}$ fl. drachm,
Distilled Water	...	to 1 fl. ounce.

Mix. To be added to a pint of water,  
before use.

## LOTIO ACIDI CARBOLICI CUM IODO.

Take of

Carbolic Acid, lique-		
fied	...	12 minims,

Tincture of Iodine	...	6 minims,
--------------------	-----	-----------

Distilled Water	...	to 1 fl. ounce.
-----------------	-----	-----------------

Mix.

• **LOTIO ACIDI HYDROCYANICI.**

Take of

Diluted Hydrocyanic

Acid       ...       ... 10 minims,

Distilled Water   ... to 1 fl. ounce.

Mix.

**LOTIO ACIDI NITRICI CUM OPIO.**

Take of

Diluted Nitric Acid ... 3 minims,

Opium Lotion   ... to 1 fl. ounce.

Mix.

**LOTIO ALUMINIS.**

Take of

Alum, in powder   ... 4 grains,

Distilled Water   ... to 1 fl. ounce.

Dissolve.

**LOTIO ALUMINIS ÆTHEREA.**


Take of

Alum ...       ...       ... 6 grains,

Spirit of Nitrous Ether 1 fl. drachm,

Distilled Water   ... to 1 fl. ounce.

Dissolve and mix.



## LOTIO ARNICÆ

Take of

Tincture of Arnica	... 1 fl. drachm,
Lead Lotion	... to 1 fl. ounce.

Mix.

## LOTIO ATROPINÆ SULPHATIS.

Take of

Sulphate of Atropine	2 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve.

## LOTIO BORACIS.

Take of

Borax, in powder	... 10 grains,
Distilled Water	... to 1 fl. ounce.


Dissolve.


LOTIO BORACIS CUM POTASSII  
CHLORATE.

Take of

Borax, in powder	... 3 grains,
Chlorate of Potassium	6 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve.





**LOTIO CALAMINÆ CO.**

Take of

Calamine	...	...	of each
Oxide of Zinc	...	...	$\frac{1}{2}$ ounce,
Glycerine	...	...	1 drachm,
Solution of Subacetate of Lead	...	...	2 drachms,
Lime Water	...	...	2 ounces,

Mix.

**LOTIO CUPRI SULPHATIS.**

Take of

Sulphate of Copper, in powder	...	...	2 grains,
Distilled Water	...	...	1 fl. ounce.

Dissolve.

**LOTIO FERRI SULPHATIS.**

Take of

Sulphate of Iron, in powder	...	...	3 grains,
Distilled Water	...	...	to 1 fl. ounce.

Dissolve.

## LOTIO HYDRARGYRI PERCHLORIDI.

Take of

Perchloride of Mercury  $\frac{1}{4}$  grain,  
 Distilled Water ... 1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI  
HYDROCYANICA.

Take of

Perchloride of Mercury  $\frac{1}{2}$  grain,  
 Glycerine ... ... 2 fl. drachms,  
 Diluted Hydrocyanic  
 Acid ... ... 8 minims,  
 Distilled Water ... to 1 fl. ounce.


Dissolve and mix.


## LOTIO OPII.

Take of

Liquid Extract of  
 Opium ... ... 1 drachm,  
 Distilled Water ... to 1 fl. ounce.

Mix.





**LOTIO PLUMBI.****Take of****Solution of Subacetate**

of Lead	...	...	6 minims,
Water	...	...	to 1 fl. ounce.

**Mix.****LOTIO PLUMBI CUM OPIO.****Take of**

Opium Lotion	...	} equal parts.
Lead Lotion	...	

**Mix.****LOTIO POTASSÆ SULPHURATÆ.****Take of**

Sulphurated Potash	...	4 grains,
Distilled Water	...	to 1 fl. ounce.

**Dissolve.****LOTIO QUERCUS COMPOSITA.****Take of**

Alum, in powder	...	} of each
Sulphate of Zinc	...	
Decoction of Oak Bark	to 1 fl. ounce.	

**Dissolve.**

## LOTIO SODÆ CHLORINATÆ.

Take of

Solution of Chlorinated

Soda	...	... $\frac{1}{2}$ fl. drachm,
Distilled Water	...	to 1 fl. ounce.

Mix.

## LOTIO SULPHURIS COMPOSITA.

Take of

Precipitated Sulphur	...	60 grains,
Spirit of Camphor	...	$\frac{1}{2}$ fl. drachm,
Lime Water	...	to 1 fl. ounce.

Mix.

## LOTIO ZINCI OXIDI.

Take of

Oxide of Zinc	...	30 grains,
Glycerine	...	$\frac{1}{2}$ fl. drachm,
Lime Water	...	to 1 fl. ounce.


Mix.


## LOTIO ZINCI SULPHATIS.

Take of

Sulphate of Zinc	...	1 grain,
Distilled Water	...	to 1 fl. ounce.

Dissolve.





**LOTIO ZINCI MEDIA.**

Take of

Sulphate of Zinc	... 2 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve.

**LOTIO ZINCI SULPHATIS FORTIOR.**

Take of

Sulphate of Zinc	... 4 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve.

**LOTIO ZINCI SULPHOCARBOLATIS.**

Take of

Sulphocarbonate of Zinc	4 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve.

**OLEUM CARBOLATUM.**

Take of

Carbolic Acid, liquefied	12 minims,
Olive Oil	... ... to 1 fl. ounce.

Mix. Contains 1 part of acid in 40.

## PASTA IODI CUM CREASOTO.

Take of

Iodine	...	...	120 grains,
Creasote	...	...	to 1 fl. ounce.

Dissolve.

## PILULA ALOES CUM NUCE VOMICA.

Take of

Pill of Barbadoes Aloes	$4\frac{1}{2}$	grains,
Extract of Nux Vomica	$\frac{1}{4}$	grain,
Treacle	...	... a sufficiency.


Beat together, and form a pill.


## PILULA ALOES CUM SAPONE.

Take of

Cape Aloes, in powder	}	of each
Hard Soap, in powder		2 grains,
Distilled Water	...	a sufficiency.

Beat together, and form a pill.





## PILULA ATROPINÆ.

Take of

Atropine	...	... $\frac{1}{200}$ grain,
Rectified Spirit	...	$\frac{1}{20}$ minim,
Liquorice Root,	in	
powder	...	2 grains,

Treacle     ...     ... a sufficiency.

Beat together, and form a pill.

## PILULA BELLADONNÆ.

Take of

Extract of Belladonna	$\frac{1}{3}$ grain,
Liquorice Root,	in
powder	... 2 grains,
Treacle	... a sufficiency.

Beat together, and form a pill.

PILULA CALOMELANOS CUM COLO-  
CYNTHIDE.

Take of

Subchloride of Mer-	
cury	... 1 grain,
Compound Extract of	
Colocynth	... 4 grains,

Beat together, and form a pill.

PILULA CALOMELANOS CUM COLO-  
CYNTHIDE ET HYOSCYAMO.

Take of

Subchloride of Mercury 1 grain,

Compound Extract of

Colocynth ... ... 3 grains,

Extract of Henbane... 1 grain.

Beat together, and form a pill.

PILULA CALOMELANOS CUM JALAPA.

(*Syn.* House Pills.)

Take of

Subchloride of Mercury 1 grain,

Jalap, in powder ... 3 grains,

Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA CALOMELANOS CUM RHEO.

Take of


Subchloride of Mercury 1 grain,


Rhubarb Root, in

powder ... ... 4 grains,

Treacle ... ... a sufficiency.

Beat together, and form a pill.





PILULA CALOMELANOS CUM SCAMONIO.

Take of

Subchloride of Mercury ... 1 grain,  
 Scammony, in powder 3 grains,  
 Treacle ... a sufficiency.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM HYOSCYAMO.

Take of

Camphor, in powder... } of each  
 Extract of Henbane... }  $2\frac{1}{2}$  grains.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM OPIO.

Take of

Camphor, in powder... 2 grains,  
 Opium, in powder ...  $\frac{1}{2}$  grain,  
 Treacle ... a sufficiency.

Beat together, and form a pill.

## PILULA CREASOTI.

Take of

Creasote ... ... 1 minim,

Crumb of Bread ... a sufficiency.

Beat together, and form a pill.

## PILULA CREASOTI CUM ASAFOETIDA.

Take of

Creasote ... ... 1 minim,

Compound Pill of  
Asafœtida ... ... } of each

Compound Rhubarb } 2 grains.

Pill ... ... ...

Beat together, and form a pill.

## PILULA ELATERII COMPOSITA.

Take of

Elaterium ... ...  $\frac{1}{4}$  grain,

Compound Extract of

Colocynth ... ... 2 grains,

Subchloride of Mercury  $1\frac{1}{2}$  grains,


Capsicum Fruit, in

powder ... ...  $\frac{1}{2}$  grain,

Treacle ... ... a sufficiency.

Beat together, and form a pill.





### PILULA FERRI FOETIDA.

Take of

Saccharated Carbonate

of Iron ... ... 3 grains,

Compound Asafoetida

Pill... ... ... 2 grains,

Treacle ... ... a sufficiency.

Beat together, and form a pill.

### PILULA FERRI REDACTI.

Take of

Reduced Iron ... 3 grains,

Liquorice Root, in

powder ... ... 1 grain,

Mucilage of Tragacanth a sufficiency.

Beat together, and form a pill.

### PILULA FERRI SULPHATIS.

Take of

Dried Sulphate of Iron } of each

Ginger, in powder ... } 1 grain,

Extract of Gentian ... 3 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM COLO-  
CYNTHIDE.

Take of

Mercurial Pill ... 1 grain,  
Compound Extract of  
Colocynth ... ...  $2\frac{1}{2}$  grains,

Beat together, and form a pill.

PILULA HYDRARGYRI CUM COLO-  
CYNTHIDE ET HYOSCYAMO.

Take of

Mercurial Pill ... 1 grain,  
Compound Extract of  
Colocynth... ...  $2\frac{1}{2}$  grains,  
Extract of Henbane... 1 grain.


Beat together, and form a pill.


PILULA HYDRARGYRI CUM CRETA  
COMPOSITA.

Take of

Mercury with Chalk... } of each  
Compound Powder of }  $2\frac{1}{2}$  grains,  
Ipecacuanha ... }  
Treacle ... ... a sufficiency.

Beat together, and form a pill.





PILULA HYDRARGYRI CUM CRETA ET  
QUININÆ.

Take of

Mercury with Chalk... 3 grains,  
Sulphate of Quinine... 1 grain,  
Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA ET  
RHEI.

Take of

Mercury with Chalk... } of each  
Rhubarb Root, in pow- } 2½ grains,  
der ... ... ...  
Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM RHEO.

Take of

Mercurial Pill ... 2 grains,  
Compound Rhubarb  
Pill ... ... 3 grains.

Beat together, and form a pill.

## PILULA HYDRARGYRI CUM SCILLA.

Take of

Mercurial Pill ... 3 grains,  
 Squill, in powder ...  $1\frac{1}{2}$  grains.

Beat together, and form a pill.

PILULA HYDRARGYRI IODIDI VIRIDIS  
 CUM OPIO.

Take of

Green Iodide of Mer-

cury ... ...  $\frac{1}{2}$  grain,  
 Opium, in powder ...  $\frac{1}{8}$  grain,  
 Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA RHEI COMPOSITA CUM  
 NUCE VOMICA.

Take of


Compound Rhubarb


Pill ... ... ...  $3\frac{1}{2}$  grains,

Capsicum Fruit, in  
 powder ... ... ...  $\frac{1}{6}$  grain,

Extract of Nux Vomica  $\frac{1}{2}$  grain;

Beat together, and form a pill.





## PILULA STRAMONII.

Take of

Extract of Stramo-  
 nium ... ...  $\frac{1}{3}$  grain,  
 Liquorice Root, in  
 powder ... ... 2 grains,  
 Treacle ... ... a sufficiency.

Beat together, and form a pill.

## POTASSA CUM CALCE.

Take of

Caustic Potash ... } equal parts,  
 Lime ... ...  
 Glycerine ... ... a sufficiency.

So as to form a paste.

## POTUS POTASSII CHLORATIS.

Take of

Chlorate of Potassium 60 grains,  
 Boiling Water ... 1 pint.

Dissolve.

**POTUS POTASSII TARTRATIS ACIDÆ**  
Take of

Acid Tartrate of Po-

tassium ... ... 60 grains,

Half the fresh Peel of a Lemon,

Boiling Water ... 1 pint.

Infuse in a covered vessel with occa-  
sional stirring till cold, and strain.

**PULVIS ALUMINIS ET ZINCI.**

Take of

Alum, in powder ... 2 ounces,

Sulphate of Zinc, in

powder ... ... 1 ounce.

Mix. One teaspoonful to be dissolved  
in a pint of water, and used as a lotion.

**PULVIS BORACIS CUM ACIDO TANNICO.**


Take of


Borax, in powder ... 4 drachms,

Tannic Acid, in pow-

der ... ... 5 grains.

Mix thoroughly.





**PULVIS BORACIS CO.**

Take of

Borax, in powder ... 3 drachms,  
 Tannic Acid, in powder ... 4 grains,  
 Iodoform, in powder 1 drachm,  
 Hydrochlorate of Morphine, in powder ... 5 grains.

Mix thoroughly.

**PULVIS CRETÆ AROMATICUS CUM RHEO.**

Take of

Aromatic Powder of  
 Chalk ... ... 20 grains,  
 Rhubarb Root, in powder ... 10 grains.

Mix.

## PULVIS EMETICUS.

Take of

Ipecacuanha, in powder 20 grains,  
 Tartarated Antimony,  
 in powder ... ...  $\frac{1}{2}$  grain.

Mix.

## PULVIS MORPHINÆ CUM BORACE.

Take of

Hydrochlorate of Mor-  
 phine, in powder ...  $\frac{1}{6}$  grain,  
 Borax, in powder ... 2 grains.


Mix. This powder is also kept in the  
 strengths of  $\frac{1}{4}$  and  $\frac{1}{3}$  grain of Morph.


## PULVIS MORPHINÆ CUM IODOFORMO

Take of

Hydrochlorate of Mor-  
 phine, in powder ...  $\frac{1}{6}$  grain,  
 Iodoform, in powder 1 grain,  
 Borax, in powder ... 2 grains.

Mix thoroughly.





## SAPO LIQUIDUS.

Take of

Soft Soap	...	2 ounces,
Rectified Spirit	...	1 fl. ounce.

Dissolve.

## SPIRITUS AMMONIÆ AROMATICUS.

(Hosp. Pharm.)

Take of

Carbonate of Ammonium	...	8 ounces,
Strong Solution of Ammonia	...	4 fl. ounces,
Oil of Lemon	...	2 fl. drachms.
Rectified Spirit	...	5 pints,
Distilled Water	...	to 7 pints.

Dissolve and mix.

Equal in amount of carbonate of ammonium to Spiritus Ammoniæ Aromaticus of the *Brit. Pharm.*

## SPIRITUS AMMONIÆ FŒTIDUS.

(Hcsp. Pharm.)

Take of

Tincture of Asafoetida	12 fl. ounces,
Rectified Spirit	... 6 fl. ounces,
Strong Solution of	
Ammonia	... 2 fl. ounces.

Mix.

Equal in amount of asafoetida and of ammonia to Spiritus Ammoniæ Fœtidus of the *Brit. Pharm.*

## SPIRITUS ANISI.

Take of

Oil of Anise	... 1 fl. ounce,
Rectified Spirit	... to 50 fl. ounces.


Dissolve.


## SPIRITUS CARUI.

Take of

Oil of Caraway	... 1 fl. ounce,
Rectified Spirit	... to 50 fl. ounces

Dissolve.





**SPIRITUS CARYOPHYLLI.**

Take of

Oil of Cloves	...1 fl. ounce,
Rectified Spirit	...to 50 fl. ounces.

Dissolve.

**SPIRITUS CASSIÆ LIGNEÆ.**

Take of

Oil of Cassia	...1 fl. ounce,
Rectified Spirit	...to 50 fl. ounces.

Dissolve.

**SPIRITUS MENTHÆ VIRIDIS.**

Take of

Oil of Spearmint	...1 fl. ounce,
Rectified Spirit	...to 50 fl. ounces.

Dissolve.

**SUPPOSITORIUM OPII.**

Take of

Compound Pill of Soap 12 grains.

Make a suppository.

It contains about 2 grains of dried opium.

## SYRUPUS PAPAVERIS.

(Hosp. Pharm.)

Take of

Poppy Capsules, bruised  
 and freed from Seeds  $2\frac{1}{4}$  pounds,  
 Treacle... ... ... 2 pounds,  
 Distilled Water at  $170^{\circ}$  3 gallons.

Macerate the poppy capsules in the water for 12 hours, draw off and express the liquor, evaporate it to two pints and a half, and add the treacle.

Equal in strength to Syrupus Papaveris of the *Brit. Pharm.*


## SYRUPUS RHŒADOS.


(Hosp. Pharm.)

Take of

Dried Red Poppy Petals 13 ounces,  
 Treacle... ... ...  $5\frac{1}{4}$  pounds,  
 Boiling Distilled Water  $5\frac{1}{2}$  pints.

Infuse the petals in the water for 12 hours, draw off and express the liquor, and add the treacle.





## UNGUENTUM ACIDI BORICI.

Take of

Boric Acid ...	... 80 grains,
Soft Paraffin ...	... 1 ounce.

Mix.

## UNGUENTUM ACIDI CARBOLICI.

Take of

Carbolic Acid, liquefied $\frac{1}{2}$ fl. drachm,	
Soft Paraffin ...	... 1 ounce.

Mix.

## UNGUENTUM ACIDI CHRYSOPHANICI.

Take of

Chrysophanic Acid ... 10 grains,	
Soft Paraffin ...	... 1 ounce.

Mix.

## UNGUENTUM ACIDI SALICYLICI.

Take of

Salicylic Acid ... 10 grains,	
Soft Paraffin ...	... 1 ounce.

Mix.

UNGUENTUM BELLADONNÆ COM-  
POSITUM.

Take of

Extract of Belladonna	30 grains,
Camphor	... 10 grains,
Rectified Spirit	... a sufficiency,
Soft Paraffin	... 1 ounce.

Dissolve and mix.

UNGUENTUM DIACHYLI.

*Syn.—Unguentum Lithargyri.*

Take of

Lead plaster	...	...	} equal parts.
Soft Paraffin	...	...	


Let an ointment be made.


UNGUENTUM FERRI SULPHATIS.

Take of

Sulphate of Iron (in fine powder)	...	10 grains,
Lard	...	1 ounce.

Mix.





UNGUENTUM HYDRARGYRI CUM  
BELLADONNA.

Take of

Ointment of Mercury	}	equal parts.
Ointment of Belladonna		
Ointment of Iodide of Potassium ... ...		

Mix.

UNGUENTUM HYDRARGYRI NITRATIS  
DILUTUM  $\frac{1}{8}$ .

Take of

Ointment of Nitrate of Mercury	... $\frac{1}{8}$ ounce,
Prepared Lard	... to 1 ounce.

Mix.

UNGUENTUM HYDRARGYRI NITRATIS  
DILUTUM  $\frac{1}{4}$ .

Take of

Ointment of Nitrate of Mercury ...	... $\frac{1}{4}$ ounce,
Prepared Lard	... to 1 ounce.

Mix.

UNGUENTUM HYDRARGYRI NITRATIS  
DILUTUM  $\frac{1}{2}$ .

Take of

Ointment of Nitrate of Mercury ... ... } equal parts.  
Prepared Lard ... }

Mix.

UNGUENTUM HYDRARGYRI SULPHIDI RUBRI.

Take of

Red Sulphide of Mercury ... ... } of each  
Red Oxide of Mercury, } 6 grains,  
in very fine powder  
Creasote ... ... 2 minims,  
Prepared Lard ... 1 ounce.

Mix.


UNGUENTUM HYDRARGYRI SULPHIDI RUBRI MITIUS.

Take of

Ointment of Red Sulphide of Mercury ...  $\frac{1}{2}$  ounce,  
Prepared Lard ... 1 ounce.

Mix.





## UNGUENTUM IODOFORMI.

Take of

Iodoform	...	...	$\frac{1}{4}$ ounce,
Soft Paraffin	...	...	1 ounce.

Mix.

## UNGUENTUM PETROLEI CO.

Take of

Ammoniated Mercury	10 grains,
Solution of Coal Tar	1 drachm,
Soft Paraffin	... to 1 ounce.

Mix.

## UNGUENTUM PETROLEI CUM ZINCO.

Take of

Oxide of Zinc	...	30 grains.
Soft Paraffin	...	1 ounce.

Mix.

## UNGUENTUM PICIS CUM PLUMBO.

Take of

Ointment of Tar	...	equal parts.
Ointment of Acetate of Lead	...	

Mix.

**UNGENTUM SIMPLEX.**

(Hosp. Pharm.)

**Take of**Yellow Wax ... ...  $\frac{1}{4}$  ounce,Prepared Lard ... ...  $\frac{3}{4}$  ounce.**Melt together.****UNGENTUM STAPHISAGRIÆ.**

(Hosp. Pharm.)

**Take of**


Oil of Stavesacre ... 1 fl. drachm,


Soft Paraffin... ... 1 ounce.

**Mix.****UNGENTUM STYRACIS.****Take of**Prepared Storax, lique-  
fied ... ... ...  $\frac{1}{2}$  ounce,

Prepared Lard ... ... 1 ounce.

**Mix.**





**UNGENTUM SULPHURIS COMPOSITUM.****Take of**

Sublimed Sulphur	...	30 grains,
Ammoniated Mercury	10 grains,	
Red Sulphide of Mer-		
cury	...	10 grains,
Olive Oil	...	2 fl. drachms,
Creasote	...	4 minims,
Prepared Lard	...	1 ounce.

**Mix.****UNGENTUM ZINCI CARBOLATUM.****Take of**

Carbolic Acid, liquefied	1 fl. drachm,
Ointment of Zinc	... 1 ounce.

**Mix.****VAPOR BENZOINI.****Take of****Compound Tincture of**

Benzoin	...	1 fl. drachm.
---------	-----	---------------

To be added to a pint of water at the temperature of 140° F. for each inhalation.

## VAPOR CREASOTI.

Take of

Creasote	...	...	80 minims,
Light Carbonate	of		
Magnesium	...	30 grains,	
Water	...	1 fl. ounce.	

Mix. A teaspoonful to be added to a pint of water at the temperature of 140° F. for each inhalation.

## VAPOR PINI SYLVESTRIS.

Take of


Oil of Scotch Pine	...	40 minims,
Light Carbonate	of	
Magnesium	...	20 grains,
Water	...	1 fl. ounce.


Mix. A teaspoonful to be added to a pint of water at the temperature of 140 F. for each inhalation.

## VINUM FERRI.

(Hosp. Pharm.)

*Vide* LIQ. FERRI ET AMMONII CITRATIS,  
p. 41.





## VINUM IPECACUANHÆ.

(Hosp. Pharm.)

Take of

Ipecacuanha, bruised...	1 ounce,		
Sherry	...	...	of each
Rectified Spirit	...	...	4 fl. ounces,
Distilled Water	...	12 fl. ounces.	

Macerate the ipecacuanha in the mixed liquids 7 days. Draw off, express, and filter. Then add sufficient water to make 1 pint.

Equal in strength to Vinum Ipecacuanhæ of the *Brit. Pharm.*

# ST. BARTHOLOMEW'S


	No. 1. FULL DIET (Men). [ <i>Dieta carnis.</i> ] D. C.	No. 2. FULL DIET (Women). [ <i>Dieta carnis.</i> ] D. C.
BREAKFAST {	Tea (5 times a week), $\frac{3}{4}$ pint. Cocoa (twice a week), $\frac{3}{4}$ pint. Butter..... $\frac{1}{2}$ oz.	Tea (5 times a week), $\frac{3}{4}$ pint Cocoa (twice a week), $\frac{3}{4}$ pint Butter..... $\frac{1}{2}$ oz.
TEA .....	Tea ..... $\frac{3}{4}$ pint. Butter..... $\frac{1}{2}$ oz.	Tea ..... $\frac{3}{4}$ pint Butter..... $\frac{1}{2}$ oz.
	Meat (6 times a week), 6 oz dressed.	Meat (6 times a week), 4 oz dressed.
	Fish (once a week) ... 10 oz. dressed. Potato (5 times a week), 8 oz. Potato and Fresh Vege- table (twice a week), 4 oz. of each. Pudding..... 4 oz. Milk (5 times a week), 1 pint. Soup (twice a week), 1 pint.	Fish (once a week)..... 8 oz dressed. Potato (5 times a week), 6 oz Potato and Fresh Vege- table (twice a week), 3 oz of each. Pudding..... 4 oz Milk ..... 1 pint
DURING REMAINDER OF 24 HOURS	Bread ..... 16 oz.	Bread ..... 14 oz


## MEAT AND FISH:

Sunday .....	Roast Beef.	Thursday .....	Boiled Mutton
Monday.....	Boiled Mutton.	Friday .....	Fish.
Tuesday.....	Irish Stew.	Saturday .....	Roast Mutton
Wednesday .....	Roast Mutton.		

Patients on admission are to be placed on Spoon Diet

*It is particularly requested that, in ordering Diets, the Medical Officer be ordered for a Patient unless the Medical Officer considers Stimulants, are to be re-written weekly.*





# OSPITAL.—DIET SCALE.

No. 3. CONVALESCENT DIET. [ <i>Dieta dimidia.</i> ] D. D.	No. 4. MILK DIET. [ <i>Dieta lactis.</i> ] D. L.	No. 5. SPOON DIET. [ <i>Dieta tenuis.</i> ] D. T.
a (5 times a week), $\frac{3}{4}$ pint.	Tea (5 times a week), $\frac{1}{2}$ pint.	TEA..... $\frac{1}{2}$ pint.
coa (twice a week), $\frac{3}{4}$ pint.	Cocoa (twice a week), $\frac{1}{2}$ pint.	
utter..... $\frac{1}{2}$ oz.	Butter..... $\frac{1}{2}$ oz.	
a ..... $\frac{3}{4}$ pint.	Tea ..... $\frac{1}{2}$ pint.	TEA..... $\frac{1}{2}$ pint.
utter..... $\frac{1}{2}$ oz.	Butter..... $\frac{1}{2}$ oz.	
oast Mutton or Chop (6 times a week) ... 4 oz. dressed.	Beef Tea ..... 1 pint. or, one of the following: <i>Mutton Broth</i> ...1 pint. <i>Pudding</i> ..... 8 oz. <i>Fish</i> ..... { 6 oz. <i>Roast Mutton</i> } 4 oz. or <i>Chop</i> ..... { dressed.	BEEF TEA, 1 pint.
sh (once a week)..... 6 oz. dressed.		
tato (5 times a week), 4 oz.		
tato and Fresh Vege- table (twice a week), 2 oz. of each.		
dding ..... 8 oz.	Milk ..... 2 pints.	MILK, 2 pints.
lk ..... 1 pint. or, 1 pint of one of the following: <i>Beef Tea.</i>	or, Milk ..... 1 pint, and 1 pint of one of the following in ad- dition: <i>Corn Flour</i> ..... { made <i>Arrowroot</i> ..... { with <i>Rice</i> ..... { Milk. <i>Gruel</i> ..... { Milk.	or, Milk, 1 pint, and 1 pint of one of the following in addition: <i>Corn Fl.</i> ..... { made <i>Arrowr.</i> ..... { with <i>Rice</i> ... { Milk.
ead ..... 14 oz.	Bread ..... 12 oz.	Bread.....4 oz.

## DDINGS:

Rice ..... *Twice a week.*  
ago ..... ,  
Capioca... ,  
Macaroni *Once a week.*  
Custard... *Only when spe-  
cially ordered.*

## CHILDREN'S DIET:

For young Children { *Spoon or Milk*  
Diet, without Tea  
or Cocoa.

For older Children, *Women's Full Diet.*

ail a Diet is ordered by the Physician or Surgeon.

l adhere as closely as possible to the above Diet Scale. No extra is to  
ential to the Patient's proper treatment. All Diets, as well as


# APPENDIX.


---

## TABLE

*Of the Ordinary Doses for an Adult.*

Acacia Gum . . . .	ad lib.
Acetum . . . .	1 to 8 fl. drs.
— Scillæ . . . .	15 to 40 min.
Acidum Aceticum Dil. .	1 to 8 fl. drs.
— Arseniosum <i>in sol.</i>	$\frac{1}{60}$ to $\frac{1}{12}$ grs.
— Benzoicum . . . .	10 to 15 ,
— Boricum . . . .	5 to 30 ,
— Carbolicum . . . .	1 to 3 ,
— Carbolicum Liquefactum	1 to 4 min.
— Citricum . . . .	10 to 30 grs.
— Gallicum . . . .	2 to 10 ,
— Hydrobromicum Dil.	15 to 50 min.
— Hydrochloricum Dil.	10 to 30 ,
— Hydrocyanicum Dil.	2 to 8 ,
— Lactic. Dil. . . .	$\frac{1}{2}$ to 2 fl. drs.







Acidum Meconicum . .	*
— Nitricum Dilutum .	10 to 30 min.
— Nitro-hydroch. Dil.	5 to 20 ,,
— Phosphoric. Conc. .	2 to 5 ,,
— Phosphoricum Dil. .	10 to 30 ,,
— Salicylicum . . .	5 to 30 grs.
— Sulphuricum Arom.	5 to 30 min.
— Sulphuricum Dil. .	5 to 30 ,,
— Sulphurosum . . .	$\frac{1}{2}$ to 1 fl. dr.
— Tannicum . . .	2 to 10 grs.
— Tartaricum . . .	10 to 30 ,,
Aconitina . . . .	$\frac{1}{240}$ to $\frac{1}{60}$ gr.
Æther . . . .	20 to 60 min.
— Aceticus . . . .	20 to 60 ,,
Aloë Barbadensis . . .	2 to 6 grs.
— Socotrina . . . .	2 to 6 ,,
Aloin . . . .	$\frac{1}{2}$ to 2 ,,
Alumen . . . .	10 to 20 ,,
Ammoniacum . . .	10 to 20 ,,
Ammonii Benzoas . .	10 to 20 ,,
— Bromidum . . .	2 to 20 ,,

\* Used only in the preparation of Liquor  
Morphinæ Bimeconatis.


Ammonii Carbonas	.	3 to 10	grs.
— Chloridum	.	5 to 20	„
— Phosphas	.	5 to 20	„
Amyl Nitris <i>vapour of</i>		2 to 5	min.
In mixtures, to be taken	$\frac{1}{2}$ to 1	min.,	
with caution.			
Antimonii Oxidum	.	1 to 4	grs.
— Sulphuratum	.	1 to 5	„
Antimonium Tartaratum,			
<i>diaphoretic</i>	$\frac{1}{16}$ to $\frac{1}{6}$	„	
— — <i>emetic</i>	1 to 2	„	
Apomorphinæ Hydrochl., by mouth	$\frac{1}{16}$ to $\frac{1}{4}$	gr.,	vide Injectio Apomorph. Hypodermica, p. 88.
Aqua Camphoræ	.	1 to 2	fl. oz.
Aqua Chloroformi	.	$\frac{1}{2}$ to 2	„
— Laurocerasi	.	5 to 30	min.
Argenti Nitrás	.	$\frac{1}{6}$ to $\frac{1}{3}$	gr.
— Oxidum	.	$\frac{1}{2}$ to 2	grs.
Arsenii Iodidum <i>in sol.</i>		$\frac{1}{30}$	gr.
Asafœtida	.	5 to 20	„
Atropina	.	$\frac{1}{120}$ to $\frac{1}{60}$	„






Atropina Sulphas . . .	$\frac{1}{120}$ to $\frac{1}{40}$ gr.
Balsamum Peruvianum . .	10 to 15 min.
— Tolutanum . . .	10 to 20 grs.
Beberinæ Sulphas . . .	1 to 10 ,,
Bismuthi Carbonas . . .	5 to 20 ,,
Bismuthi Citras . . .	2 to 5 ,,
— et Amm. Cit. . .	2 to 5 ,,
— Oxidum . . .	5 to 15 ,,
— Subnitras . . .	5 to 20 ,,
Borax . . . .	5 to 40 ,,
Butyl Chloral Hydras . .	5 to 15 ,,
Caffeina . . . .	1 to 5 ,,
Caffeinæ Citras . . .	2 to 10 ,,
Calcii Carbonas Præcip.	10 to 60 ,,
— Chloridum . . .	3 to 10 ,,
— Hypophosphis . . .	5 to 10 ,,
— Phosphas . . .	10 to 20 ,,
Calumbæ Rad., <i>in powder</i>	5 to 20 ,,
Calx Sulphurata . . .	$\frac{1}{10}$ to 1 gr.
Cambogia . . . .	1 to 4 grs.
Camphora . . . .	1 to 10 ,,
Capsici Fr. . . .	$\frac{1}{2}$ to 1 ,,

Carbo Animalis Pur.	.	20 to 60 grs.
— Ligni . . .	.	20 to 60 ,,
Catechu Pallidum .	.	10 to 30 ,,
Cerevisiæ Fermentum .	.	$\frac{1}{2}$ to 1 oz.
Cerii Oxalis . . .	.	1 to 3 grs.
Chloral Hydras . .	.	5 to 30 ,,
Chloroform . . .	.	3 to 10 min.
Chrysarobinum . .	.	$\frac{1}{6}$ to $\frac{1}{2}$ gr.
Cinchonæ Pallidæ Cort.		
	<i>in powder</i>	10 to 60 grs.
Cinchonidinæ Sulphas .	.	1 to 10 ,,
Cinchoninæ Sulphas .	.	1 to 10 ,,
Coca . . . .	.	30 to 120 ,,
Cocaine Hydrochlor.	.	$\frac{1}{5}$ to 1 ,,
Codeina . . . .	.	$\frac{1}{4}$ to 2 ,,
Colchici Cormus .	.	2 to 8 ,,
Colocynthidis Pulpa		
	<i>in powder</i>	2 to 8 ,,
Conf. Ferri Tartarati .		2 drs.
— Jalapæ . . . .	.	2 to 4 ,,
— Opii . . . .	.	5 to 20 grs.
— Piperis . . . .	.	1 to 2 drs.







## Conf. Potassii Tartratis

Acidæ . . .	1 to 2	drs.
— Scammonii . . .	10 to 30	grs.
— Sennæ . . .	1 to 2	drs.
— Sulphuris . . .	1 to 2	„
— Sulphuris Composita	2 to 4	„
— Terebinthinæ . . .	1 to 2	„
Conii Folia . <i>in powder</i>	2 to 8	grs.
Copaiba . . . .	30 to 60	min.
Creasotum . . . .	1 to 3	drops.
Creta Præparata . . .	10 to 60	grs.
Cubeba . . . .	30 to 120	„
Cupri Sulphas, <i>astringent</i>	$\frac{1}{4}$ to 2	„
— — . . . <i>emetic</i>	5 to 10	„
Cusso . . . .	$\frac{1}{4}$ to $\frac{1}{2}$	oz.
Decoctum Aloës Comp. .	$\frac{1}{2}$ to 2	fl. oz.
— Cetrariæ . . .	1 to 4	„
— Cinchonæ Pallidæ .	1 to 2	„
— Granati Radicis .	2 to 4	„
— Hæmatoxyli . . .	1 to 2	„
— Hemidesmi Comp. .	1 to 2	„
— Hordei . . . .	1 to 4	„

Decoctum Pareiræ . . .	1 to 2 fl. oz.
— Sarsæ . . .	2 to 10 ,,
— Sarsæ Co. . .	2 to 10 ,,
— Scoparii . . .	2 to 4 ,,
— Taraxaci . . .	2 to 4 ,,
Digitalin . . .	$\frac{1}{60}$ to $\frac{1}{30}$ gr.
Digitalis Folia, <i>in powder</i>	$\frac{1}{2}$ to $1\frac{1}{2}$ ,,
Elaterinum . . .	$\frac{1}{40}$ to $\frac{1}{10}$ ,,
Elaterium . . .	$\frac{1}{16}$ to $\frac{1}{2}$ ,,
Ergota . . .	20 to 30 grs.
Ergotinum . . .	2 to 5 ,,
Essentia Anisi . . .	10 to 20 min.
— Menthæ Piperitæ .	10 to 20 ,,
Extractum Aconiti .	$\frac{1}{4}$ to 1 gr.
— Aloës Barbadensis .	1 to 6 grs.
— — Socotrinæ . .	2 to 6 ,,
— Anthemidis . .	2 to 10 ,,
— Belæ Liquidum .	1 to 2 fl. drs.
— Belladonnæ . .	$\frac{1}{4}$ to 1 gr.
— — Alcoholic. .	$\frac{1}{16}$ to $\frac{1}{4}$ ,,
— Calumbæ . .	2 to 10 grs.
— Cannabis Indicæ .	$\frac{1}{4}$ to 1 ,,







Extractum Cascaræ Sagradæ 2 to 8 grs.

— — Liquidum . . .	$\frac{1}{2}$ to 2 fl. drs.
— Cimicifugæ Liq. . .	3 to 30 min.
— Cinchonæ Pall. Liq. . .	10 to 30 ,,
— Cocæ Liq. . .	$\frac{1}{2}$ to 2 fl. drs.
— Colchici . . .	$\frac{1}{2}$ to 2 grs.
— — Aceticum . . .	$\frac{1}{2}$ to 2 ,,
— Colocynthidis Comp. . .	3 to 10 ,,
— Conii . . .	2 to 6 ,,
— Ergotæ Liquidum . .	10 to 30 min.
— Filicis Liquidum . .	15 to 60 ,,
— Gelsemii Alcoholic. . .	$\frac{1}{2}$ to 2 grs.
— Gentianæ . . .	2 to 10 ,,
— Glycyrrhizæ . . .	5 to 60 ,,
— — Liquidum . . .	1 fl. dr.
— Hæmatoxyli . . .	10 to 30 ,,
— Hyoscyami . . .	5 to 10 ,,
— Jaborandi . . .	2 to 10 ,,
— Jalapæ . . .	5 to 15 ,,
— Krameriæ . . .	5 to 20 ,,
— Lactucæ . . .	5 to 15 ,,
— Lupuli . . .	5 to 15 ,,

Extractum Nucis Vomicæ		$\frac{1}{2}$ to 2 grs.
— Opii . . . .		$\frac{1}{2}$ to 2 ,,
— — Liquidum . .		10 to 40 min.
— Papaveris . . . .		2 to 5 grs.
— Pareiræ . . . .		10 to 30 ,,
— — Liquidum . . . .		$\frac{1}{2}$ to 2 fl. drs.
— Physostigmatis . .		$\frac{1}{6}$ to $\frac{1}{4}$ gr.
— Quassiae . . . .		3 to 5 grs.
— Rhamni Frangulæ .		15 to 60 ,,
— Rhei . . . .		5 to 15 ,,
— Sarsæ Liquidum .		2 to 4 fl. drs.
— Stramonii . . . .		$\frac{1}{4}$ to $\frac{1}{2}$ gr.
— Taraxaci . . . .		5 to 30 ,,
— — Liquidum . . . .		$\frac{1}{4}$ to 2 fl. drs.
Fel Bovinum Purif.		5 to 10 grs.
Ferri Arsenias . . . .		$\frac{1}{6}$ to $\frac{1}{2}$ ,,
— Carbonas Sacch. . .		5 to 30 ,,
— et Ammonii Citras .		5 to 10 ,,
— et Quininæ Citras .		5 to 10 ,,
— Peroxidum Hydratum		5 to 30 ,,
— Phosphas . . . .		5 to 10 ,,
— Sulphas . . . .		1 to 5 ,,







Ferri Sulphas Exsiccata		$\frac{1}{2}$ to 3	grs.
— — Granulata .	.	1 to 5	„
Ferrum Redactum .	.	1 to 5	„
— Tartaratum .	.	5 to 10	„
Gelsemium .	.	5 to 30	„
Glycerinum .	.	1 to 2	drs.
Guaiaci Resina .	.	10 to 30	grs.
Hydrargyri Iodidum Ru- brum .	.	$\frac{1}{3}\frac{1}{2}$ to $\frac{1}{8}$	„
— Iodidum Viride .	.	1 to 3	„
— Perchloridum .	.	$\frac{1}{16}$ to $\frac{1}{8}$	„
— Subchloridum .	.	$\frac{1}{2}$ to 5	„
Hydrargyrum cum Cretâ		3 to 8	„
Infusum Anthemidis .		1 to 4	fl. oz.
— Aurantii .	.	1 to 2	„
— — Compositum .	.	1 to 2	„
— Buchu .	.	1 to 4	„
— Calumbæ .	.	1 to 2	„
— Caryophylli .	.	1 to 4	„
— Cascarillæ .	.	1 to 2	„
— Catechu .	.	1 to 2	„
— Chiratæ .	.	1 to 2	„

## Infusum Cinchonæ Pal-


— lidæ . . .	1 to 2 fl. oz.
— — — Acid. . .	1 to 2 „
— Cuspariæ . . .	1 to 2 „
— Cusso . . .	4 to 8 „
— Digitalis . . .	2 to 4 fl. drs.
— Ergotæ . . .	1 to 2 fl. oz.
— Gentianæ Comp. . .	1 to 2 „
— Jaborandi . . .	1 to 2 „
— Krameriæ . . .	1 to 2 „
— Lini . . .	ad lib.
— Lupuli . . .	1 to 2 fl. oz.
— Maticæ . . .	1 to 4 „
— Quassiaæ . . .	1 to 2 „
— Rhei . . .	1 to 2 „
— Rosæ Acidum . . .	1 to 2 „
— Senegæ . . .	1 to 2 „
— Sennæ . . .	1 to 2 „
— Serpentariæ . . .	1 to 2 „
— Uvæ Ursi . . .	1 to 2 „
— Valerianæ . . .	1 to 2 „






Inj. Apomorphinæ Hypo-		
dermica, by subcu-		
taneous injection	2 to 8 min.	
— Ergotini Hypoder-		
mica, by subcu-		
taneous injection	3 to 10 ,,	
— Morphinæ Hypo-		
dermica, by subcu-		
taneous injection	1 to 5 ,,	
Iodoformum . . . .	$\frac{1}{2}$ to 3 grs.	
Ipecacuanha, expectorant	$\frac{1}{2}$ to 2 ,,	
— emetic	15 to 30 ,,	
Jaborandi in powder	5 to 60 ,,	
Jalapa . . . . .	10 to 30 ,,	
Jalapæ Resina . . . .	2 to 5 ,,	
Kamala . . . . .	30 grs. to $\frac{1}{4}$ oz.	
Kino . . . . .	10 to 30 grs.	
Lamellæ Physostigminæ $\frac{1}{1000}$ gr. in each.		
Liquor Ammonii Acetatis	2 to 6 fl. drs.	
— — — Fort. . . .	25 to 75 min.	
— Ammonii Citratis .	2 to 6 fl. drs.	
— — — Fort. . .	$\frac{1}{2}$ dr. to $1\frac{1}{2}$ ,,	


Liquor Arsenicalis . . .	2 to 8	min.
— Arsenici Hydrochlor. . .	2 to 8	„
— Arsenii et Hydrarg. . .		
Iodidi . . . .	10 to 30	„
— Atropinæ Sulphatis . . .	1 to 4	„
— Bismuthi et Ammono- . . .		
nii Citratis . . . .	30 to 60	„
— Calcii Chloridi . . . .	15 to 30	„
— Calcis . . . .	1 to 4	fl. oz.
— — — Saccharatus . . . .	15 to 60	min.
— Chlori . . . .	10 to 20	„
— Ferri Acetatis . . . .	5 to 30	„
— — — Fort. . . .	1 to 8	„
— — — Dialysatus . . . .	10 to 30	„
— Ferri et Ammonii . . .		
Citratis . . . .	1 to 4	fl. drs.
— — — Perchloridi . . . .	10 to 30	min.
— — — Pernitratis . . . .	10 to 40	„
— Hydrarg. Perchlor. . .	30 to 120	„
— Lithiæ Effervesrens . . .	5 to 10	fl. oz.
— Magnesii Carbonat. . . .	1 to 2	„
— — — Citratis . . . .	5 to 10	„






Liquor Morphinæ Acetatis		10 to 60	min.
— — Bimeconatis	.	5 to 40	„
— — Hydrochlor.	.	10 to 60	„
— Potassæ	.	15 to 60	„
— Potassii Permang.	.	2 to 4	fl. drs.
— Sodii Arseniatis	.	5 to 10	min.
— Sodæ Chlorinataæ	.	10 to 20	„
— — Effervescens	.	5 to 10	oz.
— — Hydrochloratis	.	5 to 10	min.
Lithii Carbonas	.	3 to 6	grs.
— Citras	.	5 to 10	„
— Supulinum	.	2 to 5	„
Magnesia Levis	.	10 to 60	„
— Pond.	.	10 to 60	„
— Carb. Levis	.	10 to 60	„
— — Pond.	.	10 to 60	„
— Sulphas	.	60 grs. to $\frac{1}{2}$ oz.	
Manna	.	60 grs. to 1	oz.
Menthol	.	$\frac{1}{2}$ to 2	grs.
Mistura Ammoniaci	.	$\frac{1}{2}$ to 1	fl. oz.
— Amygdalæ	.	1 to 2	„
— Creasoti	.	1 to 2	„


Mistura Cretæ . .	1 to	2 fl. oz.
— Ferri Aromatica . .	1 to	2 ,,
— — Composita . .	1 to	2 ,,
— Guaiaci . .	$\frac{1}{2}$ to	2 ,,
— Scammonii . .	1 to	3 ,,
— Sennæ Composita .	1 to	$1\frac{1}{2}$ ,,
— Spiritus Vini Gallici	1 to	2 ,,
Morphinæ Acetas . .	$\frac{1}{8}$ to	$\frac{1}{2}$ gr.
— Hydrochloras . .	$\frac{1}{8}$ to	$\frac{1}{2}$ ,,
— Sulphas . .	$\frac{1}{8}$ to	$\frac{1}{2}$ ,,
Moschus . .	5 to	10 ,,
Oleo Resinæ Cubebæ .	5 to	30 min.
Oleum Anethi . .	1 to	4 ,,
— Anisi . .	1 to	4 ,,
— Anthemidis . .	1 to	4 ,,
— Cajuput. .	1 to	4 ,,
— Carui . .	1 to	4 ,,
— Caryophylli . .	1 to	4 ,,
— Cassiæ Ligneæ .	1 to	4 ,,
— Copaibæ . .	5 to	20 ,,
— Coriandri . .	1 to	4 ,,
— Crotonis . .	$\frac{1}{3}$ to	1 ,,






Oleum Cubebæ	.	.	5 to 20	min.
— Eucalypti	.	.	1 to 4	„
— Juniperi	.	.	1 to 4	„
— Lavandulæ	.	.	1 to 4	„
— Limonis	.	.	1 to 4	„
— Menthæ Piperitæ	.	.	1 to 4	„
— — viridis	.	.	1 to 4	„
— Morrhuæ	.	.	1 to 8	fl. drs.
— Myristicæ	.	.	1 to 4	min.
— Phosphoratum	.	.	5 to 10	„
— Pimentæ	.	.	1 to 4	„
— Ricini	.	.	1 to 8	fl. drs.
— Rosmarini	.	.	1 to 4	min.
— Rutæ	.	.	1 to 4	„
— Sabinæ	.	.	1 to 4	„
— Santali	.	.	10 to 30	„
— Terebinthinæ	.	.	10 to 30	„
— — <i>anthelmintic</i>			4	fl. drs.
Opium	.	.	$\frac{1}{2}$ to 2	grs.
Oxymel	.	.	1 to 2	fl. drs.
— Scillæ	.	.	$\frac{1}{2}$ to 1	„
Pepsin	.	.	2 to 5	grs.

Physostigmatis Semen . .	1 to 4	grs.
Picrotoxin . . .	$\frac{1}{20}$	gr.
Pilocarpine . . .	$\frac{1}{6}$	to $\frac{1}{2}$ ,
— <i>by subcutaneous injection</i>	$\frac{1}{6}$	to $\frac{1}{2}$ ,
Pilocarpinæ Nitras . .	$\frac{1}{20}$	to $\frac{1}{2}$ ,
Pilula Aloës Barbadensis	5	to 10 grs.
— — et Asafœtidæ . .	5	to 10 ,
— — et Ferri . .	5	to 10 ,
— — et Myrrhæ . .	5	to 10 ,
— — Socotrinæ . .	5	to 10 ,
— Asafœtidæ Composita	5	to 10 ,
— Cambogiæ Composita	5	to 10 ,
— Colocynthidis Com- posita . .	5	to 10 ,
— — et Hyoscyami . .	5	to 10 ,
— Conii Composita . .	5	to 10 ,
— Ferri Carbonatis . .	5	to 20 ,
— Ferri Iodidi . . .	3	to 8 ,
— Hydrargyri . . .	3	to 8 ,
— — Subchloridi Com- posita . . .	5	to 10 ,







## Pilula Ipecacuanhæ cum

Scillâ . . .	5 to 10	grs.
Pilula Phosphori . . .	2 to 4	„
— Plumbi cum Opio . .	3 to 5	„
— Rhei Composita . .	5 to 10	„
— Saponis Composita .	3 to 5	„
— Scammonii Composita	5 to 15	„
— Scillæ Composita . .	5 to 10	„
Plumbi Acetas . . .	1 to 4	„
Podophylli Resina . . .	$\frac{1}{4}$ to 1	„
Potassii Acetas . . .	10 to 60	„
— Bicarbonas . . .	10 to 40	„
— Bromidum . . .	5 to 30	„
— Carbonas . . .	10 to 30	„
— Chloras . . .	10 to 30	„
— Citras . . .	20 to 60	„
— Iodidum . . .	2 to 20	„
— Nitrás . . .	10 to 30	„
— Permanganas . . .	1 to 5	„
— Sulphas . . .	15 to 60	„
— Tartras . . .	60 gr. to $\frac{1}{2}$ oz.	
— — Acida . . .	20 to 60	grs.

## Pulvis Amygdalæ Com-


positus . . .	ad lib.	
— Antimonialis . . .	3 to 5 grs.	
— Catechu Compositus	20 to 40	,
— Cinnamomi Comp. .	3 to 10	,
— Cretæ Aromaticus .	10 to 60	,
— — cum Opio . . .	10 to 40	,
— Elaterii Compositus	$\frac{1}{2}$ to 5	,
— Glycyrrhizæ Comp.	30 to 60	,
— Ipecacuanhæ Comp.	5 to 15	,
— Jalapæ Compositus .	20 to 60	,
— Kino Compositus .	5 to 20	,
— Opii Compositus .	2 to 5	,
— Rhei Compositus .	20 to 60	,
— Scammonii Compos.	10 to 20	,
— Tragacanthæ Comp.	20 to 60	,
Quininæ Hydrochloras .	1 to 10	,
— Sulphas . . .	1 to 10	,
Rhei Radix . . .	5 to 20	,
Sabinæ Cacumina		
	<i>in powder</i>	
Salicinum . . .	4 to 10	,
	3 to 20	,






Santonica . . . .	10 to 60	grs.
Santonium . . . .	2 to 6	„
Scammoniæ Resina . . . .	3 to 8	„
Scammonium . . . .	5 to 10	„
Scilla . . . <i>in powder</i>	1 to 3	„
Soda Tartarata . . . .	$\frac{1}{4}$ to $\frac{1}{2}$	oz.
Sodii Arsenias . . . .	$\frac{1}{16}$ to $\frac{1}{8}$	gr.
— Bicarbonas . . . .	10 to 60	grs.
— Bromidum . . . .	10 to 30	„
— Carbonas . . . .	5 to 30	„
— — Exsiccata . . . .	3 to 10	„
— Citro-Tartras Effer- vescens . . . .	60 to $\frac{1}{4}$	oz.
— Hypophosphis . . . .	2 to 10	grs.
— Iodidum . . . .	3 to 10	„
— Phosphas . . . .	$\frac{1}{4}$ to 1	oz.
— Salicylas . . . .	10 to 30	grs.
— Sulphas . . . .	$\frac{1}{4}$ to 1	oz.
— Sulphis . . . .	5 to 20	grs.
Sodii Sulphocarbolas . . . .	10 to 15	„
— Valerianas . . . .	1 to 5	„
Spiritus Ætheris . . . .	30 to 90	min.


Spiritus Ætheris Comp.	30 to 120 min.
— — Nitrosi . . .	30 to 120 , ,
— Ammoniæ Aromaticus	30 to 60 , ,
— Ammoniæ Fœtidus	30 to 60 , ,
— Anisi . . . .	10 to 20 , ,
— Armoraciæ Comp. .	60 to 120 , ,
— Cajuputi . . . .	30 to 60 , ,
— Camphoræ . . . .	10 to 30 , ,
— Carui . . . .	10 to 30 , ,
— Caryophylli . . . .	10 to 30 , ,
— Cassiæ Ligneæ .	30 to 60 , ,
— Chloroformi . . .	20 to 60 , ,
— Juniperi . . . .	30 to 60 , ,
— Lavandulæ . . . .	30 to 60 , ,
— Menthæ Pipéritæ .	30 to 60 , ,
— — Viridis . . . .	30 to 60 , ,
— Myristicæ . . . .	30 to 60 , ,
— Rosmarini . . . .	30 to 60 , ,
Strychnia . . . .	$\frac{1}{30}$ to $\frac{1}{12}$ gr.
Succus Belladonnæ .	5 to 15 min.
— Conii . . . .	30 to 60 , ,
— Hyoscyami . . . .	30 to 60 , ,






Succus Scoparii . . .	1 to 2 fl. drs.
— Taraxaci . . .	1 to 2 ,,
Sulphur Precipitatum . .	20 to 60 grs.
— Sublimatum . . .	20 to 60 ,,
Syrupus Aurantii . . .	1 fl. dr.
— Aurant. Florium . .	1 ,,
— Chloral . . .	$\frac{1}{2}$ to 2 ,,
— Ferri Iodidi . . .	$\frac{1}{2}$ to 1 ,,
— — Phosphatis . . .	1 ,,
— Hemedesmi . . .	1 ,,
— Limonis . . .	1 ,,
— Mori . . .	1 ,,
— Papaveris . . .	1 ,,
— Rhei . . .	1 to 4 ,,
— Rhœados . . .	1 ,,
— Rosæ Gallicæ . .	1 ,,
— Scillæ . . .	$\frac{1}{2}$ to 1 ,,
— Sennæ . . .	1 to 4 ,,
— Tolutanus . . .	1 ,,
— Zingiberis . . .	1 ,,
Tabellæ Nitroglycerini .	1 or 2 tablets, $\frac{1}{100}$ gr. in each.

Thymol . . . . .	$\frac{1}{2}$ to 2 grs.
Terebinthina Canadensis	20 to 30 ,,
Tinctura Aconiti . . . . .	5 to 15 min.
— Aloës . . . . .	60 to 120 ,,
— Arnicæ . . . . .	30 to 60 ,,
— Asafœtidæ . . . . .	30 to 60 ,,
— Aurantii . . . . .	60 to 120 ,,
— — Recentis . . . . .	60 to 120 ,,
— Belladonnæ . . . . .	5 to 20 ,,
— Benzoini Composita	30 to 60 ,,
— Buchu . . . . .	60 to 120 ,,
— Calumbæ . . . . .	30 to 120 ,,
— Camphoræ Comp. . . . .	15 to 60 ,,
— Cannabis Indicæ . . . . .	5 to 20 ,,
— Cantharidis . . . . .	5 to 20 ,,
— Capsici . . . . .	10 to 20 ,,
— Cardamomi Comp. . . . .	30 to 120 ,,
— Cascarillæ . . . . .	30 to 120 ,,
— Cassiæ Ligneæ . . . . .	30 to 120 ,,
— Catechu . . . . .	30 to 120 ,,
— Chiratæ . . . . .	30 to 120 ,,
— Chloroformi Comp. . . . .	20 to 60 ,,





## Tinctura Chloriformi Comp.

et Morphinæ	.	5 to 10	min.
— Cimicifugæ	.	15 to 60	,
— Cinchonæ	.	30 to 120	,
— — Comp.	.	30 to 120	,
— Cinnamomi	.	30 to 120	,
— Colchici Seminum	.	10 to 30	,
— Conii	.	20 to 60	,
— Cubebæ	.	30 to 120	,
— Digitalis	.	10 to 30	,
— Ergotæ	.	5 to 30	,
— Ferri Acetatis	.	5 to 30	,
— — Perchloridi	.	10 to 30	,
— Gallæ	.	30 to 120	,
— Gelsemii	.	5 to 20	,
— Gentianæ Composita	30 to 120		,
— Guaiaci Ammoniata	30 to 60		,
— Hyoscyami	.	30 to 60	,
— Iodi	.	5 to 20	,
— Jaborandi	.	30 to 60	,
— Jalapæ	.	30 to 120	,
— Kino	.	30 to 120	,

Tinctura Krameriæ	.	30 to 120	min.
— Laricis . . .	.	20 to 30	„
— Lavandulæ Comp.	.	30 to 120	„
— Lobeliæ . . .	.	10 to 30	„
— — Ætherea . . .	.	10 to 30	„
— Lupuli . . .	.	30 to 120	„
— Myrrhæ . . .	.	30 to 60	„
— Nucis Vomicæ	.	10 to 20	„
— Opii . . .	.	5 to 40	„
— — Ammoniata	.	30 to 60	„
— Podophyllin .	.	15 to 60	„
— Quassiaæ . . .	.	30 to 120	„
— Quininæ . . .	.	30 to 120	„
— — Ammoniata	.	30 to 120	„
— Rhei <i>stomachic</i>	1 to 2	fl. drs.	
— — <i>purgative</i>	4 to 8	„	
— Sabinæ . . .	.	20 to 60	min.
— Scillæ . . .	.	10 to 30	„
— Senegæ . . .	.	30 to 120	„
— Sennæ . . .	.	1 to 4	fl. drs.
— Serpentariaæ .	.	30 to 120	min.
— Stramonii . . .	.	10 to 30	„

Tinctura Sumbul . . .	10 to	30 min
— Tolutana . . .	20 to	40 ,
— Valerianæ . . .	60 to	120 ,
— — Ammon. . .	30 to	60 ,
— Veratri Viridis . .	5 to	20 ,
— Zingiberis . . .	15 to	60 ,
— — Fortior . . .	5 to	20 ,
Valerianæ Rad., <i>in powder</i>	10 to	30 grs.
Vinum Aloës . . .	60 to	120 min.
— Antimoniale . . .	5 to	60 ,
— Colchici . . .	10 to	30 ,
— Ferri . . .	1 to	4 fl. drs.
— Ipecacuanhæ		
	<i>expectorant</i>	5 to 40 min.
— —	<i>emetic</i>	3 to 6 fl. drs.
— Opii . . .	10 to	40 min.
— Rhei . . .	60 to	120 ,
— Quininæ . . .	$\frac{1}{2}$ to	1 oz.
Zinci Acetas . . .	<i>tonic</i>	1 to 2 grs.
— —	<i>emetic</i>	10 to 20 ,
— Oxidum . . .	2 to	10 ,
— Sulphas . . .	<i>tonic</i>	1 to 3 ,

Zinci Sulphas      *emetic* 20 to 30 grs.  
— Valerianas      . . . 1 to    3    ,,

